

3w 80xi manual



File Name: 3w 80xi manual.pdf

Size: 2762 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 29 May 2019, 21:12 PM

Rating: 4.6/5 from 796 votes.

Status: AVAILABLE

Last checked: 2 Minutes ago!

In order to read or download 3w 80xi manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with 3w 80xi manual . To get started finding 3w 80xi manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

3w 80xi manual

With its low vibration level for singlecylinder engines, it is especially appropriate for aerobatics machines in the 10 kg class. Due to the matched 3W muffler system, the engine is comparable to other manufacturers' 100 ccm engines because the performance data are analogous. The engine is suitable for a broad variety of models and distinguishes itself through its reliability and durability. The programmed ignition curve is exactly matched to the engines and guarantees good running characteristics in all rotational speed ranges. The standard ignition can be operated with a voltage of 6 V up to 8.4 V 2cell LiPo. Our employees develop, construct and manufacture a wide range of engines from 1cylinder to 6cylinder engines for ambitious competition and hobby pilots. Vibrations are minimized whereby the model and electronics are preserved in the long term. The noise level is reduced at the same time. The engine is suitable for a broad variety of models and distinguishes itself through its reliability, durability, and power. Here the engines are optimized for performance enhancement. The transfer ports in the cylinder are modified and suitably reworked in the crankcase. The individual cylinders' compression is adjusted in multiplecylinder engines. Compression is increased. The following benefits result from this The engine's torque and power are increased. Throttle response improves in a lower RPM range. Both ignitions work independently of one another here. The following benefits can be achieved using the TS version To process your inquiries as quickly as possible, we kindly ask you to use the contact opportunities on the right.<http://www.amblamy.ee/upload/daiwa-sl50sh-manual.xml>

- **3w 80xi manual, 3w 80xi manual pdf, 3w 80xi manual download, 3w 80xi manuals, 3w 80xi manual free.**

Multirotors Drones Drones Talk Multirotor Beginner Specific Models of MultiRotors and Drones Micro Multirotors Mini Multirotors Aerial Pictures and Video Showcase Scratchbuilt Multirotors Multirotor Electronics Multirotor Power Systems MultiRotor Apps and Related Software Multirotor Events FPV FirstPerson View RC Aircraft Flying and RC Vehicle Operation. Forum questions or problems Test Posting Forum Check it out. The motor weighs in at 2,250 grams bare, or 4lbs 15oz. Also noise is not a issue at my field, only the black bears. So I will keep you posted, will be bench running it in the next day or two, I am hoping it will pull like the tractor I use to ride on my Dads farm I am looking for ideas to test my new ZDZ80 RVJ. My 33% Extra 260 wont be ready before next spring. DanielThat should pull your Extra well. These two motors are very close in weight, should be interesting to see how they perform. Because it is so cool out I dont think it will over heat. After 4 hours of this it will be ready for extreme flying and full synthetic oil. Does this sound good to you, anyone. Working on the bench mount right now, I will be running a Bolly Wood 2610 for breakin. Very much like a Menz S. I will tack it and post pictures and numbers this week if all goes well!ZDZ 80RVJ Bare weight, 2,280 gr Bore 47mm Stroke 46mm 2 ball bearings on crank, Tillotson carb from what I have seen Likes high octane gas. Both motors can turn 2610 to 2810 props, or so it goes. I have been looking at both motors with great interest but having a ZDZ 80 Rv, I thought I would like to try the 3W. Had a 3W 60 at one time and I really liked it. Also its not as expensive, and I am sure it will work very well too. The new ZDZ 80 RVJ will be a power house for sure, maybe stronger than the 3W, we will see. If so I dont think it will be by very much I will be getting mine started up some time this week, cant wait!I dont know why 3W would recommend this method.<http://safe-international.com/userfiles/daiwa-sweepfire-4000-2b-manual.xml>

Anyway I will run it up tomorrow after I adjust the carb for good transition and high end. Maybe run a tank through it easy and then see what it can do, thats it. Too bad my Extra is not ready. All set to

go! That is with a JMB 80x300 canister on a short header. Decided to keep that motor in my big Ultimate, too much fun. The Mejzlik turns a few 100 higher RPMs than the Biela I think. I won't even make any predictions for this new motor, however the Bolly 2610 at 6700 rpm would be a good start. Will be running it tomorrow. The Extra is coming along, it's been a busy year, by the spring for sure. I will post picks when it's all framed up which will be in another month or two. How would the new 3W compare to the weight of the old 80 rv. I am doing a 31% columbo extra, and wondering if the weight difference would be noticeable. Only 140 gr. I get this weight for the ZDZ 80 off the Amelung web page. I can't weight mine at this time. The 3W should pull harder than the older ZDZ 80 RV on the top end. Also midrange will be much stronger. At 31% you are getting up to the top end of engine weight. What is the total weight going to be. Also don't forget the Taurus 52, another brand I think is very good. Many choices I went to a machine shop yesterday to get tig welding on the KS header instead of buying high temp propane torch. The header will be ready only next week. I'll install it as soon as I get it. I think the 3W80 and ZDZ80RVJ will have similar performances except the ZDZ like more RPM with Mejzlik 26x10 or 26x12, while 3W are torque engines that like bigger prop like Mejzlik, 27x10, 28x10 with less RPM. Just my personal perceptions. Dan The new ZDZ 80RVJ has a longer stroke than the old ZDZ 80RV. The RV liked to rev because it had a short stroke, and a big bore. The RVJ has a smaller bore and a longer stroke. Also the porting has been opened up for even better midrange pull. I am not an expert, it just seems to be the case to me.

The 3W does not have as long a stroke as the new 80RVJ and is very close in size to the old 75i they still make. Actually it is not a true 80cc but more like a 78cc. They just seem to have opened up the porting, 3W however are known for a strong midrange. I will run my motor this afternoon, and will have numbers and picks when done. Be careful with your bench test. I have built one last year to try my DA50 and all the prop nuts broke on the first tank and the 22x8 prop jumped 20 feet away. I had too much vibrations on the bench test and it's better to use a plane when you can. Dan Cactus has a new 80xi competition twinspark I would like to get my hands on. Being an old worry wart I opted for an angle iron self standing unit maybe overkill for some but the engines cranking out 525 hp can instantly become an uncontrolled killer. Not trying to scare anyone just note of caution. When running ZDZ210s on this setup we always needed a guy standing on rear, lower rail, just to handle thrust. The 100 cc engines are about the limit for letting it stand on its own. The real use for it, is to test various exhaust setups. Many of them KILL 50% of available thrust. If that thing moves even an inch, I will buy 5 more 3W 80Xi. Well off we go, let's fire it up! I don't want it to get too hot. You have a good eye, that is a sewing machine. Well that was fun, went out, set everything up and started it up, as planned. Flip full choke, power on, pop, choke off, throttle down, 3 flips, put, put, put. Ok, let it run for a few minutes, warm it up, transition good, go to high end and tune to full rpm. Ok go back to low end, transition still good, lean it till it sags, back out a bit, transition good running smooth. Ok, check high end again, fine, richen a little and let it run at 2000 rpm for 5 minutes. Seems to me it will get stronger than that, however I will have to wait till later this week. Generally speaking the motor seemed a lot like my ZDZ 80RV. Could be the new Tillotson carb working well.

However at this time it is making about the same power as the ZDZ 80RV, it turns 6300 RPM on a Biela prop, much like the Bolly I am using, similar muffler, but the 3W is not set up well yet, or broken in at all, so there is hope. Fully broken in it should gain 200 or more RPM. The heat rise setup from running in this manner is instantaneous. On the glow plug engines the fuel cooling is far greater and so they were less prone to overheating. Once the engine has some time on it and the mix is really understood for the prop load then there is less problem. They are fan cooled and really intended to see full load for hours on end. NONE of the purpose built model gassers are intended for this type use. Some conversions though are good at it ask any model engine mfgs if their engines are designed for this. The break in technique recommended by 3W is similar to ZDZ original recommendation. They are trying to make everyone aware of how important temperature control really is to getting the engine ready for use. In the air the engine cruising around is only doing minor

work which equals little heat. All ground running loads the engine just like hovering. The wheels on the test stand do not touch the ground. When storing the stand you tilt it forward onto the wheels like a wheelbarrow. I know that the motor could heat up very quick on a bench, and that is why I would rather break it in flying. Nothing to put it in right now. So I will go out one more time and not load the motor too much now that the high low settings have been given an initial setup. My 3W manual does say that it would be OK to run it no higher than 2500rpm for an extended period of time to help with break-in. However they say not to use continuous full throttle while in a test stand, at least not for more than 10 seconds at a time. I will also try your open stack, vs muffler just to see the difference. I have a JMB can, the 80300, maybe get a header for it and give that a try.

Still it is pulling well, in a 2122 lb setup, at close to sea level it will be just fine I think! Cactus has the XI at about .3 pounds less than the 70. My thinking is bigger, lighter, more power, and a better flying airplane. I know it doesn't always work out this way but what do you guys think. I am very curious to see the power numbers between the XI and the RVJ. I agree, more power is good. The Bolly wood prop that I used is a true 2610 that is it is 26 inches long. The Beila that I was using on my ZDZ 80RV is only 25.5 inches long, so it may not load as much as the Bolly does. I can't try the Biela on the 3W 80 because it is drilled for 4mm bolts, the 3W uses 5mm. Any way I think the 3W 80Xi will do better yet. When I did my final tack it was still a little rich on the top end. Tuned for full RPM it would have reached 6300. Use of this site indicates your consent to the Terms of Use. Use of this site indicates your consent to the Terms of Use. I am wanting to go more for a scale look and want to keep everything in the cowl. I was wanting to go with the DA 85 but it sticks way out the bottom. I am currently building a Lanier Laser 200 33%, wingspan 2,44m, suggestion from the manual is a ZG62 or similar. When gathering info for this plane, I found these links. In post number 6 from Yukon Bob you will find that he had the best results with the GT80 on the Lanier Laser. I am still in the rebuilding phase of my Laser which had a couple of owners before me and based upon the threads above I decided to go for the GT80, found one that later appeared to be a ZG74, but I will try this engine on the plane. Did you see this review of the H9 33% Edge. Good luck in your hunt for information! Both engines had more than adequate power for just anything you wanted to do. The airplane weighed around 24lbs. I am not familiar with the GT80, but I believe it may be heavier than what I was using. Nice flying plane, enjoy yours. This is one of H9 edges and calls for the GT80.

, But all the write ups and reviews have the DA 100 on it. I have not seen anyone set up one with a GT80 or seen one fly with a GT80. I have read write ups before people have done but when they give you free stuff to try and write a report on its hard to say it sucks. I have fallen for this before, this is why I would like feedback from real people like you thanks for the help., Jason I too will be using the GT80 and I also made the performance changes that is required. I have heard that this motor will perform well however I am sure it won't be like engines with more HP. I also am recovering mine, I like the way the Gt fits in the cowl. I also know you need to get rid of those mufflers that it comes with and install the recommended electronic ignition. I heard this is a big help for this engine as I will find out. If it doesn't work out it will be replaced with a ZDZ super 85. Good luck and I will check back to see how you made out. The engine would hover the plane, but very little pullout. This was on a 24x12 prop; this engine really, really likes high RPM and in my application a 24x10 probably would have been a better choice. The engine was pretty heavy with the magneto and spring starter so an electronic ignition would probably help too. Broke crashed or new. I do not have one to finish my airplane and long been out of stock. Any help be great thanks. All rights reserved. Got this in a trade for one of my 100cc engines. Wanted to have it for a War Bird project but that doesn't look like I will have time. Don't want this beautiful engine to go unused. Never seen a drop of gas. Free Shipping in the US. Brand see all DuBro HPI King Motor Rovon Unbranded Compatible Scale see all 14 15 16 18 110 Compatible Fuel Type see all Gasoline Filter Applied Compatible Brand see all Compatible Vehicle Type see all Condition see all New Used Price Under Php370.00 Php370.00 to Php1,720.00 Over Php1,720.

00 Please provide a valid price range Php Php Buying Format see all All Listings Auction Buy It Now Classified Ads Item Location see all All items listed on eBay.ph Philippines Only Asia Worldwide Delivery Options see all Free Postage Free Instore Pickup Show only see all Returns Accepted Completed Items Sold Items Authorized Seller More refinements More refinements. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. You may have to register before you can post click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below. UserFriendly Manuals. Product Instructions. Please try again.It is excellent for minimal elongation, breakpoint and distortion, therefore it is the best for making Wooden Airplane Propellers.In order to navigate out of this carousel, please use your heading shortcut key to navigate to the next or previous heading. In order to navigate out of this carousel, please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Exclusive access to cleaning, safety, and health supplies. Create a free business account to purchase Please try your search again later.You can edit your question or post anyway.PREMIUM MATERIAL Xoar Propellers are ONLY made of the Best quality beechwood from German Pollmeier Lumber for its excellent physical property. Lumber are pretreated to minimize elongation, breakpoint and distortion rate which are crucial elements for making top quality Wooden Airplane Propellers. BEST CRAFTSMANSHIP AND DESIGN Xoar Propeller, trusted by many hobbyists and Professionals, is the perfect choice for every one to show off their flying skills because Xoars design and craftsmanship produces industry leading light weight, high efficiency and accurate performance Wooden Model Airplane Propellers.

In order to navigate out of this carousel, please use your heading shortcut key to navigate to the next or previous heading. Amazon calculates a product's star ratings using a machine learned model instead of a raw data average. The machine learned model takes into account factors including the age of a review, helpfulness votes by customers and whether the reviews are from verified purchases. Diese fertigen wir aus sehr dunnwandigem Material. Interessant ist, dass wir mit der manuellen Presse auch kleine Serien von 20 aber auch 500 Stk.We use a manual press with a closing force of up to 800 tons for hydro forming our exhaust arches. These are made of very thinwalled material. Interestingly, we can also small series of 20 but 500 pcs drive.Our flexibility and years of experience we are able to manufacture small series costable. Please try again later.Please try again.Making the Best Looking and Functional Giant Scale German Axial Wooden Model Airplane PropellersPlease try your search again later.You can edit your question or post anyway.If you are a seller for this product, would you like to suggest updates through seller support PREMIUM MATERIAL The Axial Propeller are ONLY made of 5 layers of Top Grade Black Walnut and German Beechwood for its excellent physical property. BEST CRAFTSMANSHIP AND DESIGN Xoar Propeller, trusted by many hobbyists and Professionals, is the perfect choice for every one to show off their flying skills because Xoars design and craftsmanship produces industry leading light weight, high efficiency and accurate performance Wooden Model Airplane Propellers.Amazon calculates a products star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers and factors that establish reviewer trustworthiness. Please try again.Please try again.

Making the Best Looking and Functional Giant Scale German Axial Wooden Model Airplane PropellersIn order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later.PREMIUM MATERIAL The Axial Propeller are ONLY made of 5 layers of Top Grade Black Walnut and German Beechwood for its excellent physical property. BEST CRAFTSMANSHIP AND DESIGN Xoar Propeller, trusted by many hobbyists and Professionals, is the perfect choice for every one to show off their flying skills because Xoars design and craftsmanship produces industry leading light weight, high efficiency and accurate performance Wooden Model Airplane Propellers.Amazon

calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again. After purchase, you will receive an email with further information. Terms and Conditions apply. Learn more. Amazon Business For business exclusive pricing, quantity discounts and downloadable VAT invoices. Create a free account Representative 21.9% APR variable. Credit offered by NewDay Ltd, over 18s only, subject to status. Terms apply. Please try your search again later. You can edit your question or post anyway. For exceptions and conditions, see Return details. With numerous tests understanding the physical limitation of different kind of lumber from different manufacturers, we carefully selected the one and only one that fit our requirement of moisture content and physical property in elongation, breakpoint and distortion. We then validated the design in digital imaging and other necessary procedures to prove the design not only meets the specs, but also is safe to fly. After CNC, the semi finished prop comes into shape.

Each prop is manually finished to reach perfect surface smoothness and balance which makes Xoar Prop stand out from our competition. During the coating process, 2 layers of primer coating and 2 layers of glossy protection coating are applied in order to prevent corrosion. Each of the Xoar prop is manually balanced. A set number of props were selected randomly in each batch and put on testing bench for dynamic balance test, RPM test and noise level check before they are packaged and leave the factory to our customers hands. This manual process is only done by the best trained and most experienced craftsman to ensure each propeller meets the quality standard. XOAR offers a wide range of RC propellers in different materials such as Beechwood, Laminates, Nylon, and Carbon for Gasoline, Nitro and Electric RC Planes. There is a right prop for every hobbyist. Hub Processed CNC Processed from hub to tip to provide better stability by eliminating visible edges Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Makes me wonder if its a knock off. The prop was well balanced and had a heavy gloss finish which is nice but again doesnt match other Xoar props I have. Prop was not protected well, one tip was slightly damaged during shipment. Sorry, we failed to record your vote. Please try again. Outdoor Installation Guide. Tropos Networks, Inc. Sunnyvale, CA 94085. USA www.troposnetworks.com April 2007 All rights reserved. Tropos Networks is a registered trademark of. Tropos Networks, Inc. Specifications are Loctite is a registered trademark of Loctite Corporation, USA. This product includes technology protected by U.S. Patents 6,704,301; 6,965,575; 7,016,328; FCC Notice to Users and Operators. This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two This equipment has been tested and found to comply with the limits for a Class B digital device, These limits are designed to provide reasonable protection Increase separation between the equipment and receiver. Connect the equipment to an outlet on a circuit different from that to which the receiver is This Part 15 radio device operates on a noninterference basis with other devices operating at Networks could void the users authority to operate this device. Industry Canada. Notice to users and operators. This Class B digital apparatus meets all requirements of the Canadian Interference Causing. Equipment Regulations. Operation is subject to the following two conditions 1 this device Tropos 5320 MetroMesh Router Installation Guide L'operation est sujette aux deux conditions Warning. It is illegal to modify the construction of this product. Modifying the operating frequency or Warning. This device is for outdoor or indoor use with conditions that no harmful interference to This device shall not European Union WEEE Notice. For EU member countries, this symbol means Do not dispose of this equipment This equipment must be collected separately. The return and collection of this product has not been defined at this time, please. It is important for users of this equipment to participate in reuse, recycling, and other forms of Tropos 5320 MetroMesh Router Installation Guide Statement for Inclusion in User Information The

exclamation point within an equilateral triangle is intended to alert the user. The lightning flash with an arrowhead symbol within an equilateral triangle is Caution. Read these instructions. Keep these instructions. Heed all warnings. Follow all instructions. Do not defeat the safety purpose of the grounding. Refer all servicing to qualified service personnel. Servicing is required when the Tropos 5320 MetroMesh Router Installation Guide. Risk of personal injury or death when installing this device!

There is a risk of personal injury or death if the router antennas come near. Carefully read and follow all instructions in this manual. This apparatus must be connected to earth ground. Do not open the unit — risk of electric shock inside. Risque de delectrocution. Ne pas ouvrir l'unit. Caution. You are cautioned that any change or modification not expressly approved in this Les changements et modifications, non expressement approuves dans le present Service. There are no userserviceable parts inside. All service must be performed by Vous ne devez pas reparer les pieces se trouvant a l'interieur de l'appareil. Les Tropos 5320 MetroMesh Router may contain a lithiumion battery. To avoid The RJ45 connectors of your Tropos 5320 MetroMesh Router may source DC. Some products may be incompatible with the Tropos Power Over Ethernet capability. If such problems occur, make sure that Tropos 5320 MetroMesh Router Installation Guide. The Tropos 5320 MetroMesh Router can only be used with approved antennas. See Appendix C, "Approved Antenna Configurations and Attenuation Settings". Surfaces may become hot. Use caution when accessing the Tropos 5320 MetroMesh router. Tropos 5320 MetroMesh Router Installation Guide. Installing the Tropos MetroMesh Router..... 1. Installation Hardware and Tools..... 4. Pole, Tower, and Streetlight Mounting Instructions..... 9. Connecting Cable Attached Antennas..... 18. Waterproofing Antenna Connections..... 20. Grounding the Tropos 5320 Router..... 21. Grounding the Data Protection Device..... 23. Connecting to AC Power Category C..... 27. Connecting to Streetlight Power Category C..... 28. Safety Information for the Tropos MetroMesh Router..... 37. Tropos 5320 MetroMesh Router Installation Guide. Approved Antenna Configurations and Attenuation Settings..... 48.

Standard Power Product Antennas..... Tropos 5320 MetroMesh Router Installation Guide. Tropos MetroMesh Router Exploded View..... 3. Example Mounting Location Antennas Facing Upward..... 7. Waterproofing Antenna Connections..... 20. Grounding the Indoor Network Protection Unit..... 23. Connecting Category C AC Power..... 27. Options for Connecting a Data Port..... 31. Circuit Board Connection Locations..... 34. AC Wiring — Photoelectric Power Tap..... 69. AC Wiring Power Cable 120VAC, 15A Plug..... 70. Cable Preparation and Termination..... 78. Tropos 5320 MetroMesh Router Installation Guide. RJ45 Pin Descriptions for Data Connection. Physical Specifications Tropos 5210 Series Routers. Power Over Ethernet Power Sourcing..... Antenna Specifications and Patterns. Tropos Antennas, Cables, and Related Ordering Numbers. Tropos 5320 MetroMesh Router Installation Guide. Router. This guide explains how to install the Tropos 5320 MetroMesh router safely and is intended for. This chapter covers the following topics. Tropos 5320 MetroMesh Router Installation Guide. Preparing for Installation. The Tropos 5320 MetroMesh router must be installed by a trained professional, value added. This section. Model Numbers. An exploded view of the Tropos 5320 MetroMesh router assembly is shown in Figure 1. Note. Antennas must be installed by a trained professional. Operating the unit with nonqualified antennas. See "Approved. Antenna Configurations and Attenuation Settings" on page 48 for a listing of antenna options. Tropos 5320 MetroMesh Router Installation Guide. Figure 1 Tropos MetroMesh Router Exploded View. AuxMain. Pole bracket. Sun shield. Hose Connector. AC input. Quick tie. Cable gland. LAN cable. Management cable. Connector. Ground. Shielded outdoor. Bottom view of Router.

Tropos 5320 MetroMesh Router Installation Guide Installation Hardware and Tools. Tropos Networks provides the following accessories to install the Tropos 5320 MetroMesh One sun shield. Two 4 inch diameter hose clamps. Four 6 inch diameter hose clamps. You must supply the following tools To ensure safe and durable wiring, installation of the Tropos 5320 MetroMesh router must Follow the National Electrical Code NEC The Ethernet duplex and speed setting is configurable. Entrance Protector for all power and data communications cables entering a building. The NEC Note. Ethernet data cable installations having lengths greater than 140 feet in the outdoor environment must. Ethernet data cable installations having lengths less than 140 feet in the outdoor environment may use. Tropos 5320 MetroMesh Router Installation Guide Tropos Data. Protection Device and Network Protection Units are UL497A secondary protection devices. Location Guidelines. The Tropos 5320 MetroMesh router is a radio device and therefore susceptible to interference Follow these guidelines to ensure the best performance Direct line of sight operation is best. Install the unit away from microwave ovens or other devices operating in the 2.4 GHz or 5. GHz frequency range. Antenna Options. You can purchase the Tropos 5320 MetroMesh router with an omnidirectional antenna, or use Omnidirectional antennas are best for systems requiring a signal To comply with regulatory RF exposure limits, locate For antenna model numbers, Note. Site Surveys.